

Brentwood AccuPac DE-080 and DE-120 Blade Drift Eliminator modules use a tightly-spaced series of sinusoidal-shaped PVC (or HPVC) blades that force the leaving air to make distinct changes of direction at three impact zones (right), resulting in maximum drift droplet removal. And this performance does not come at the expense of fan energy, as the engineered flow through these high-performance drift eliminators achieves very low pressure drop (see back).



DE-097 Blade Drift Eliminators are specifically designed for use in forced-draft cooling towers. Like the DE-080 and DE-120, this drift eliminator use a series of sinusoidal-shaped blades, but where this product differs is the additional deflector designed into the discharge edge of each blade. These deflectors increase the velocity of the airstream and direct it (at a 45° angle) away from the intake fans to prevent recirculation of warm, moist air through the fans.



BLADE DRIFT ELIMINATORS




APPLICATIONS

Brentwood Blade Drift Eliminators are designed for use in counterflow or crossflow Cooling Towers.

FEATURES & BENEFITS


- Easy to assemble on-site, our Blade Drift Eliminators are a popular choice for international projects. (Shipping unassembled components vs. assembled modules can save significantly on freight costs.)
- \bullet The DE-097 features engineered directional discharge deflectors on the trailing edge of each blade that increase the velocity of the leaving airstream and direct it at a 45° angle away from the intake fans to prevent recirculation of warm, moist air through the fans.
- The DE-080 and DE-120 feature an open drainage design for crossflow induced draft applications.
- Brentwood Blade Drift Eliminator modules "nest" with the adjoining modules to provide "seamless" panel installations.



MATERIALS

All Brentwood Blade Drift Eliminators are made from PVC (or HPVC for high temperatures) that meets CTI (Cooling Technology Institute) Standard 136 and are UV-protected. These PVC compounds have outstanding resistance to weather exposure and are nearly impervious to chemical degradation by alkalis, acids, grease, fats, oils, and biological attack. These materials have excellent fire rating due to their self-extinguishing characteristics.

PRESSURE DROP





© Copyright 2008 Brentwood Industries, Inc.

Brentwood Industries, Inc., P.O. Box 605, 610 Morgantown Road, Reading, PA 19603, USA, Phone 1-610-236-1100, Fax 1-610-236-1199, Email ctsales@brentw.com

Brentwood Asia, Ltd., A3 Floor, Le Concorde Tower, 202 Rajchadapisek Road, Huaykwang, Bangkok 10310, Thailand, Phone 662-694-1060-2, Fax 662-694-1063, Email asiasales@brentw.com

Brentwood Europe s.r.o., Plzenska 610, 338 05 Myto, Czech Republic, Phone +420 371 595 795, Fax +420 371 580 795, Email europesales@brentw.com